

POSTER PRESENTATION

Open Access

Application of array comparative genomic hybridization (array- CGH) for detection of chromosomal imbalances in children with developmental delay/congenital malformations in Saudi Arabia

Ibtessam Ramzi Hussein^{1*}, Adeel G. Chaudhary², Randa Bassiouni³, Maha AlQuaiti¹, Samira Sogaty⁴, Mohammed Al-Qahtani²

From 2nd International Genomic Medical Conference (IGMC 2013) Jeddah, Kingdom of Saudi Arabia. 24-27 November 2013

Background

Microarray—based Comparative Genomic Hybridization (a-CGH) has enabled wide investigation of the genome at high resolution and has been implemented in different centers as a clinical diagnostic tool. Chromosomal imbalances are implicated in the etiology of Developmental Delay (DD)/Intellectual Disability (ID)/Congenital Malformations. However, most of these cases may not be diagnosed by conventional cytogenetic techniques. We aimed to establish a-CGH technique and assess its potential as a diagnostic tool for chromosomal imbalances and to detect known and novel chromosomal aberrations in patients with DD/ congenital malformations.

Materials and methods

A total of 75 patients presented with DD/ congenital malformations with or without ID were referred to the CEGMR for cytogenetic analyses. We used both conventional cytogenetic G-banding and Fluorescent *in-situ* hybridization techniques (FISH), besides we applied (array-CGH) high resolution Agilent scanner with 1X244 K array format in 25 samples and 2X400 K format in 50 samples.

Results

Chromosomal aberrations were detected in 10/72 (13.8%) patients by G-banding technique and 4/50 (8%) by FISH technique, however, 17/72 (23.6%) were diagnosed by a-CGH technique. All micro-deletion syndromes and partial duplications were detected by the chromosomal microarray technique: (Del 15 (q11.2); Del 15 (q13-14); Del 22 (q11.2); Del 7 (q11.23); Del 18 (q21 q23); Del 1 (p36); del 21q21-q23, del 13q21-q31.3, del 11q24.2-q25, and duplications in: dup 18p (p11.21); dup 15 (q11 q23); dup 18 (q23). However, one patient with unbalanced translocation could not be detected by this technique. The increase in the CNVs number detected by a-CGH needs further investigation for contribution to phenotypes.

Conclusions

Our results indicate the strength of high resolution genomic arrays in diagnosing cases of unknown etiology and in detection of contiguous genomic alterations in the wide spectrum of cases with DD/ID/congenital malformations.

Authors' details

¹Centre of Excellence in Genomic Medicine Research, King Abdulaziz University, Jeddah, KSA. ²Faculty of Medical Sciences, King Abdulaziz University, Jeddah, KSA. ³Pediatrics Dept., Ministry of Health, Al-Taif, Jeddah, KSA. ⁴Maternity & Child Hospital, Jeddah, Jeddah, KSA.

Full list of author information is available at the end of the article



^{*} Correspondence: irhussein@gmail.com

¹Centre of Excellence in Genomic Medicine Research, King Abdulaziz University, Jeddah, KSA

Published: 2 April 2014

References

- Liang J, Shimojima K, Yamamoto T: Application of array-based comparative genome hybridization in children with developmental delay or mental retardation. *Pediatr. Neonatal* 2008, 49(6):213-217.
- Hochstenbach R, et al: Array analysis and karyotyping: Workflow consequences based on a retrospective study of 36,325 patients with idiopathic developmental delay in the Netherlands. Europ. J. of Med. Genet 2009, 52:161-169.

doi:10.1186/1471-2164-15-S2-P52

Cite this article as: Hussein *et al.*: Application of array comparative genomic hybridization (array- CGH) for detection of chromosomal imbalances in children with developmental delay/congenital malformations in Saudi Arabia. *BMC Genomics* 2014 15(Suppl 2):P52.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit

