CORRECTION Open Access

Correction to: RAD gene family analysis in cotton provides some key genes for fowering and stress tolerance in upland cotton *G*. hirsutum

Nosheen Kabir^{1†}, Xin Zhang^{2†}, Le Liu³, Ghulam Qanmber¹, Lian Zhang², Yu Xuan Wang¹, Zhuojing Sun⁴, Na Zhao^{3*} and Gang Wang^{2*}

Correction to: BMC Genomics 23, 40 (2022) https://doi.org/10.1186/s12864-021-08248-z

Following publication of the original article [1], it was reported that affiliations listed for affiliations 2 and 3 were reversed. The correct affiliations are given in this Correction article and the original article [1] has been updated.

Author details

¹ State Key Laboratory of Cotton Biology, Institute of Cotton Research, Chinese Academy of Agricultural Sciences, Anyang 455000, Henan, China. ² Xinjiang Production & Construction Group Key Laboratory of Crop Germplasm Enhancement and Gene Resources Utilization, Biotechnology Research Institute of Xinjiang Academy of Agricultural and Reclamation Science, Shehezi, Xinjiang 832000, China. ³ Zhengzhou Research Base, State Key Laboratory of Cotton Biology, Zhengzhou University, Henan, Zhengzhou 450001, China. ⁴ Development Center for Science and Technology, Ministry of Agriculture and Rural Affairs, Beijing 100122, China.

Published online: 04 April 2022

Reference

 Kabir N, Zhang X, Liu L, et al. RAD gene family analysis in cotton provides some key genes for flowering and stress tolerance in upland cotton G. hirsutum. BMC Genomics. 2022;23:40. https://doi.org/10.1186/ s12864-021-08248-z.

The original article can be found online at https://doi.org/10.1186/s12864-021-08248-z.

³ Zhengzhou Research Base, State Key Laboratory of Cotton Biology, Zhengzhou University, Henan, Zhengzhou 450001, China Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

^{*}Correspondence: nana209@163.com; wg5791@163.com

[†]Nosheen Kabir and Xin Zhang contributed equally to this work.

² Xinjiang Production & Construction Group Key Laboratory of Crop Germplasm Enhancement and Gene Resources Utilization, Biotechnology Research Institute of Xinjiang Academy of Agricultural and Reclamation Science, Shehezi, Xinjiang 832000, China